


User's Manual

7 Port USB 3.2 GenII Metal HUB with 2 x USB C GenII and 5 x USB A GenI




Model: CTFINDUSB-32X7

Introduction

Thank you for buying our product, please read the manual in detail before using this product.

Product View



1 Power Led 2-6 USB Type A (USB3.2 GenI) 7-8 USB Type C(USB3.2 GenII)
9 USB Type C (USB3.2 GenII host) 10 3pin Terminal Block 11 DC Power Jack

Package Contents

- ※7 Port USB 3.2 GenII Metal HUB with 2 x USB C GenII and 5 x USB A GenI
- ※12V5A Adapter x1 (optional)
- ※ 1M C TO C USB 3.2 Cable x1
- ※ Wall mount Kit x2
- ※ Screw (11pcs) x1
- ※ Terminal block x1
- ※ Din-Rail x1
- ※ User's manual x1

Specification

- ※Support all USB 1.1 to 3.2 compatible peripheral device , Maximum data transfer rate: 10Gbps
- ※9-30V DC input

※LED indicate power on

※Support Systems : windows XP/Vista/7/8/10/11/Mac OS


※Support USB 3.2 plug and play

※15KV ESD surge protection


※Operating temperature -10-50°C

Din-Rail Mounting

1. Use the included screws to install the Din-Rail kit to the hub




2. Insert the top of the Din-Rail clip onto the Din-Rail track, then gently push the bottom of the hub to secure it to the Din-Rail track



Wall Mount Plate Mounting

1. Use the included screws to install the wall mount kit to the hub



2. Mount the hub to the wall

